



# C4150

Small to medium workgroup  
colour laser printer



Look sharp for less  
with gorgeous colour



Speed for  
productivity with  
the easy to use  
reliability you need



Workflow  
smoothing solutions  
and flexibility



Sensitive data  
stays secure



Cut costs while  
being environmentally  
responsible



Lexmark™

# Get more power and save money



Save time with the C4150's integrated software and solutions. Stay productive with print speeds that are fast enough to keep work moving. Look professional with gorgeous colour.

- ▶ Brilliant colour in an affordable, space-saving device
- ▶ Up to 47 pages per minute<sup>5</sup> print speeds
- ▶ Spend less time on supplies with high-yield toner capacity and shake-free science
- ▶ Expandable universal input trays

## Speed for productivity with the easy to use reliability you need

**Productivity stays high** when even large colour print jobs complete quickly. With print speeds of up to 47 ppm you'll get more jobs done, faster.


**Minimise wait time** with C4150's ability to print a single colour page in as little as 5.5 seconds. Convenient direct printing from flash drives, network drives or online servers save you even more time

**Power through** complex print jobs with large, high-resolution photos and graphics. The powerful print controller has the processing power you need built-in.

**Work from wherever, print where you want** with mobile printing from iOS, Android and Windows Mobile devices and optional wireless and NFC direct mobile printing from smartphones and tablets. The C4150 is also Google Cloud Print and Apple Airprint 1.5 and Mopria ready.

**Better access** for all with drawers and paper guides that move effortlessly, and standard headphone jack and talk-back features to help users with limited vision engage with the device\*.

\* Meets advanced Section 508 and European Standard EN 301 549 guidelines for accessibility available June 2016.



## Look sharp for less with gorgeous colour

**Colour so accurate and affordable, you can print colour in-house.** You can match all of your brand colours and have accurate colour output without having to pay a premium. Lexmark Colour Replacement combines spot colour replacement and RGB replacement for precision matching of critical colours. PANTONE® calibration and embedded colour sample pages help you nail perfect colour at the design stage. Lexmark's 4800 colour quality is ultra-sharp even at full speed.

**More media choices** from 300 gsm—one of the thickest media available in cut sheet to print signage or booklet covers—to tissue-thin 70 gsm paper, and all the vinyl, labels, cardstock, envelopes, and banners in between, the C4150 makes you shine.

**Less hands-on hassle with a high input capacity** with up to 2,300 sheets of input capacity, paper is less likely to run out, so you don't have to wait or intervene to finish printing.

**Improve your productivity with the C4150 that keeps on running**

- ▶ Toner cartridges yield up to 16,000 pages<sup>1</sup>
- ▶ Photoconductor lasts up to 150,000 pages<sup>6</sup>
- ▶ Developer unit lasts up to 300,000 pages<sup>6</sup>
- ▶ No shake Unison™ Toner cartridges mean perfect prints to the last page without interruption



## Workflow smoothing solutions and flexibility

Bridge the gap between your paper documents and software systems with the fully-configurable device-based apps available on the Lexmark C4150. The built in productivity solutions future-proof your investment.

1

### Standard device-based apps shipping with this series include\*:



#### Google Drive

The easy way to print shared Google docs on demand.



#### Customer Support

Send email alerts to help desk or service providers to request support. Pertinent data about the device can be included in the automated email.




#### QR Code Generator

Generate a Quick Response (QR) Code and display it on the eTask screen, making it easy to find the printer on your tablet or smartphone.



#### Forms and Favourites

Keep frequently used forms and documents easy to access and save money by eliminating preprinted forms



### See the possibilities with our intuitive interface

Minimise the need for training with the familiar modern tablet-like capabilities of our eTask interface on a bright 10.9 cm (4.3-inch) class colour touch screen. Use swipe and touch gestures to navigate the intuitive interface to access convenient features, including:

- ▶ Preview your entire print job
- ▶ Print Microsoft Office and other file types from USB or mobile devices
- ▶ Customise shortcuts and bookmarks
- ▶ Realise your return on investment fast with true integration
- ▶ Access corporate address book for quick document routing
- ▶ Enable user tracking, accounting and permissions for cost and print management

\* Additional device-based apps may ship with the device and additional apps can be added.

# C4150



1. **Intuitive colour touch screen with new eTask interface** A bright 10.9 cm (4.3-inch) screen uses familiar swipe and touch gestures, minimising training time to get users up to speed.



2. **Direct printing** Microsoft Office files and other document and image types print right from flash drives. You can even preview jobs on the eTask screen prior to printing.



3. **Unison™ Toner system with long-life supplies** Unison™ Toner delivers consistently outstanding image quality plus long-life system reliability and amazing sustainability in a high-yield, no-shake design.



4. **Software solutions** Combine eSF capabilities with additionally purchased Lexmark fleet management tools and your existing software and technical infrastructure to form the Lexmark smart MFP ecosystem. Its adaptability future-proofs your investment in Lexmark colour laser technology.



5. **Expandable input** Print on multiple paper types and boost input capacity to 2,300 sheets.

## Sensitive data stays secure

**Authorise and authenticate** who and what gets access to your network along with remote monitoring and management.

**Protect your device on all fronts** with port and connection filtering to limit active access and encryption and wiping of the optional hard disk to secure sensitive print job data. Digital signatures on firmware updates keep hackers at bay.

**Authentication to fit your protocols** from badge readers, PIN or passwords. Once users are authenticated, the connection to your network is fully secure.

**Put a stop to data leaks** on the standard hard disk with 256-bit AES encryption and encryption keys stored in the printer's memory, not the hard disk. Data is almost impossible to read if the hard drive is removed.

## Cut costs while being environmentally responsible

**Save power** with multiple power saving modes. Sleep mode uses less than 3 watts between jobs. Hibernate mode uses less than half a watt during scheduled on/off periods.

**Save paper and toner with no hassles.** Standard double-sided printing, printing images a lighter shade with the ColourSaver feature that still leaves text dark and readable and Lexmark's Eco Settings solution are just some of the eco-friendly options.

**Smarter toner saves energy and more.** Lexmark Unison™ Toner fuses at a lower temperature that requires less energy. Through our free and easy Lexmark Cartridge Collection Programme (LCCP) ship empty cartridges back to our recycling centres for sustainable recycling.



### Lexmark Sustainability

For Lexmark, commitment to the environment isn't a marketing tagline, it's a core value backed up by real action and results. We are forward thinking, innovative, and driven to sustain a healthy planet for generations to come. For our customers and partners we bring this passion, our leading technology and a deep understanding of industry-specific business processes to continuously improve their efficiency as well as our own.


Lexmark products meet globally recognised environmental standards\*.

- ▶ Energy Star™
- ▶ Blue Angel compliant
- ▶ EPEAT™

For more information on Lexmark's sustainability initiatives, visit [csr.lexmark.com](http://csr.lexmark.com)

\* Energy Star V2.0 for Imaging Equipment (EU RoHS and Section 4.3.1.1 of IEEE 1680.2-2).

## Ordering information.





<b>P/N</b> 40C9061	<b>Model</b> Lexmark C4150
<b>P/N</b> 24B6519 24B6516 24B6517 24B6518 74C0W00 74C0ZK0 74C0ZV0	<b>Laser toner/print cartridge</b> C4150 Black Toner Cartridge C4150 Cyan Toner Cartridge C4150 Magenta Toner Cartridge C4150 Yellow Toner Cartridge Waste Toner Bottle CS720, CS725, CX725 Black Return Programme Imaging Unit CS720, CS725, CX725 Colour (CMY) Return Programme Imaging Kit
<b>P/N</b> 40C2100	<b>Paper handling</b> 550-Sheet Tray
<b>P/N</b> 57X9020 57X9801	<b>Memory options</b> 2GB DDR3, G2, 512Mx32, 204 SODIMM 256MB User Flash Memory
<b>P/N</b> 27X0400	<b>Hard Disk</b> Hard Disk Drive
<b>P/N</b> 40C2300	<b>Furniture</b> Adjustable Stand
<b>P/N</b> 40C9200 40C9201 40C9202	<b>Firmware Cards</b> Forms and Bar Code Card IPDS Card PRESCRIBE Card
<b>P/N</b> 57X9110 57X9112 57X9114 57X9115	<b>Font Cards</b> Traditional Chinese Font Card Simplified Chinese Font Card Korean Font Card Japanese Font Card
<b>P/N</b> 27X0803	<b>Internal Print Server</b> MarkNet 8360 Wireless
<b>P/N</b> 14F0100 14F0000	<b>Local Interface Cards</b> RS-232C Serial Interface Card2 Parallel 1284-B Interface Card2
<b>P/N</b> 57X0085	<b>Security</b> Security Module
<b>P/N</b> 1021231 1021294	<b>Cables</b> 10-Foot Parallel Printer Cable 2-metre USB Printer Cable
<b>P/N</b> SPD0002	<b>Connectivity / Accessories</b> Surge Protection Device HV

# Lexmark C4150

Adjustable Printer Stand

 Standard  
 Optional



10.9 cm (4.3-inch) Colour Touch Screen

550-Sheet Input with 100-Sheet Multi-purpose Feeder

550-Sheet Tray

550-Sheet Tray

550-Sheet Tray

Product specifications	Lexmark C4150
<b>Print</b>	
Display	Lexmark e-Task 10.9 cm (4.3-inch) colour touch screen
Print Speed: Up to <sup>5</sup>	Black: 47 ppm / Colour: 47 ppm
Time to First Page: As fast as	Black: 5.0 seconds / Colour: 5.5 seconds
Print Resolution	Black: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi) / Colour: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi)
Memory	Standard: 1024 MB / Maximum: 3072 MB
Hard Disk	Option available
Recommended Monthly Page Volume <sup>2</sup>	2000 - 20000 pages
Maximum Monthly Duty Cycle: Up to <sup>3</sup>	150000 pages per month
<b>Supplies<sup>7</sup></b>	
Laser Cartridge Yields (up to) <sup>1</sup>	10,000-page Colour (CMY) High Yield Cartridges, 16,000-page Black High Yield Cartridge
Imaging Unit Estimated Yield: Up to <sup>4</sup>	150000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage
Cartridge(s) Shipping with Product <sup>8</sup>	7,000-page Black and Colour (CMYK) Return Program Toner Cartridges
<b>Paper Handling</b>	
Included Paper Handling	550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 300-Sheet Output Bin
Optional Paper Handling	550-Sheet Tray
Paper Input Capacity: Up to	Standard: 650 pages 75 gsm bond / Maximum: 2300 pages 75 gsm bond
Paper Output Capacity: Up to	Standard: 300 pages 75 gsm bond / Maximum: 300 pages 75 gsm bond
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Vinyl Labels, Refer to the Card Stock & Label Guide., Banner Paper
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6
<b>General Information<sup>4</sup></b>	
Standard Connectivity	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Rear Hi-Speed USB port Compatible with USB 2.0 Specification (Type A)
Optional Network Ports	Internal MarkNet N8360 802.11b/g/n Wireless, NFC
Noise Level: Operating	Print: 53 dBA
Specified Operating Environment	Humidity: 15 to 80% Relative Humidity, Temperature: 10 to 32°C, Altitude: 0 - 2896 Meters (9,500 Feet)
Size (mm - H x W x D) / Weight	417 x 475 x 499 mm / 36.3 kg

<sup>1</sup>Average yield at approximately 5% print coverage per colour. <sup>2</sup>Recommended Monthly Page Volume<sup>2</sup> is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>3</sup>Maximum Monthly Duty Cycle<sup>3</sup> is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. <sup>4</sup>Printers are sold subject to certain license/agreement conditions. See [www.lexmark.com/printerlicense](http://www.lexmark.com/printerlicense) for details. <sup>5</sup>Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds). <sup>6</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. <sup>7</sup>Product functions only with replacement cartridges designed for use in a specific geographical region. See [www.lexmark.com/regions](http://www.lexmark.com/regions) for more details. <sup>8</sup> Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.